renal coloboma syndrome

Renal coloboma syndrome (also known as papillorenal syndrome) is a condition that primarily affects kidney (renal) and eye development. People with this condition typically have kidneys that are small and underdeveloped (hypoplastic), which can lead to end-stage renal disease (ESRD). This serious disease occurs when the kidneys are no longer able to filter fluids and waste products from the body effectively. It has been estimated that approximately ten percent of children with hypoplastic kidneys may have renal coloboma syndrome. The kidney problems can affect one or both kidneys.

Additionally, people with renal coloboma syndrome may have a malformation in the optic nerve, a structure that carries information from the eye to the brain. Optic nerve malformations are sometimes associated with a gap or hole (coloboma) in the light-sensitive tissue at the back of the eye (the retina). The vision problems caused by these abnormalities can vary depending on the size and location of the malformation. Some people have no visual problems, while others may have severely impaired vision.

Less common features of renal coloboma syndrome include backflow of urine from the bladder (vesicoureteral reflux), multiple kidney cysts, loose joints, and mild hearing loss.

Frequency

The prevalence of renal coloboma syndrome is unknown; at least 60 cases have been reported in the scientific literature.

Genetic Changes

Renal coloboma syndrome is caused by mutations in the *PAX2* gene. The *PAX2* gene provides instructions for making a protein that is involved in the early development of the eyes, ears, brain and spinal cord (central nervous system), kidneys, and genital tract. The PAX2 protein attaches (binds) to specific regions of DNA and regulates the activity of other genes. On the basis of this role, the PAX2 protein is called a transcription factor. After birth, the PAX2 protein is thought to protect against cell death during periods of cellular stress.

Mutations in the *PAX2* gene lead to the production of a nonfunctional PAX2 protein that is unable to aid in development, causing incomplete formation of certain tissues. Why the kidneys and eyes are specifically affected by *PAX2* gene mutations is unclear.

Approximately half of those affected with renal coloboma syndrome do not have an identified mutation in the *PAX2* gene. In these cases, the cause of the disorder is unknown.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Other Names for This Condition

- coloboma of optic nerve with renal disease
- coloboma-ureteral-renal syndrome
- ONCR
- optic coloboma, vesicoureteral reflux, and renal anomalies
- optic nerve coloboma renal syndrome
- papillorenal syndrome
- RCS
- renal-coloboma syndrome

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Renal coloboma syndrome https://www.ncbi.nlm.nih.gov/gtr/conditions/C1852759/

Other Diagnosis and Management Resources

 GeneReview: Renal Coloboma Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1451

General Information from MedlinePlus

- Diagnostic Tests
 https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

- Health Topic: Kidney Diseases https://medlineplus.gov/kidneydiseases.html
- Health Topic: Optic Nerve Disorders https://medlineplus.gov/opticnervedisorders.html

Genetic and Rare Diseases Information Center

 Renal coloboma syndrome https://rarediseases.info.nih.gov/diseases/4106/renal-coloboma-syndrome

Additional NIH Resources

- National Eye Institute: Facts About Uveal Coloboma https://nei.nih.gov/health/coloboma/coloboma
- National Institute of Diabetes and Digestive and Kidney Diseases: Vesicoureteral Reflux

https://www.niddk.nih.gov/health-information/urologic-diseases/urine-blockage-newborns/vesicoureteral-reflux

Educational Resources

- Disease InfoSearch: Papillorenal syndrome http://www.diseaseinfosearch.org/Papillorenal+syndrome/5572
- MalaCards: papillorenal syndrome http://www.malacards.org/card/papillorenal_syndrome
- Merck Manual Home Edition for Patients and Caregivers: Kidneys http://www.merckmanuals.com/home/kidney-and-urinary-tract-disorders/biology-of-the-kidneys-and-urinary-tract/kidneys
- Orphanet: Renal coloboma syndrome http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=1475

Patient Support and Advocacy Resources

 The Kidney and Urology Foundation of America http://www.kidneyurology.org/index.php

GeneReviews

 Renal Coloboma Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1451

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28renal+coloboma+syndrome%5BTIAB%5D%29+OR+%28papillorenal+syndrome%5BTIAB%5D%29+OR+%28renal-coloboma+syndrome%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+2880+days%22%5Bdp%5D

OMIM

 PAPILLORENAL SYNDROME http://omim.org/entry/120330

Sources for This Summary

- Amiel J, Audollent S, Joly D, Dureau P, Salomon R, Tellier AL, Augé J, Bouissou F, Antignac C, Gubler MC, Eccles MR, Munnich A, Vekemans M, Lyonnet S, Attié-Bitach T. PAX2 mutations in renal-coloboma syndrome: mutational hotspot and germline mosaicism. Eur J Hum Genet. 2000 Nov;8(11):820-6.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11093271
- Cheong HI, Cho HY, Kim JH, Yu YS, Ha IS, Choi Y. A clinico-genetic study of renal coloboma syndrome in children. Pediatr Nephrol. 2007 Sep;22(9):1283-9. Epub 2007 May 31.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17541647
- Dureau P, Attie-Bitach T, Salomon R, Bettembourg O, Amiel J, Uteza Y, Dufier JL. Renal coloboma syndrome. Ophthalmology. 2001 Oct;108(10):1912-6.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11581073
- GeneReview: Renal Coloboma Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1451
- Schimmenti LA, Manligas GS, Sieving PA. Optic nerve dysplasia and renal insufficiency in a family with a novel PAX2 mutation, Arg115X: further ophthalmologic delineation of the renal-coloboma syndrome. Ophthalmic Genet. 2003 Dec;24(4):191-202.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14566649
- Weber S, Moriniere V, Knüppel T, Charbit M, Dusek J, Ghiggeri GM, Jankauskiené A, Mir S, Montini G, Peco-Antic A, Wühl E, Zurowska AM, Mehls O, Antignac C, Schaefer F, Salomon R. Prevalence of mutations in renal developmental genes in children with renal hypodysplasia: results of the ESCAPE study. J Am Soc Nephrol. 2006 Oct;17(10):2864-70. Epub 2006 Sep 13. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16971658

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/renal-coloboma-syndrome

Reviewed: July 2008

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services